

V-Pure-S

Ageing 1 temperature wine cabinet

Access pack



Standard shelves



Sliding shelf ACMS



Storage shelf AXUH

« Premium » shelves



Sliding shelves

ACMS2B



ACMS2W



Storage shelves

AXUH2B

AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	73	69
Empty wine cabinet net weight (kg)	60	56
Equipped wine cabinet net weight (kg)	64,6	60,6
Dimensions H x W x D (mm)	960 x 680 x 715	960 x 680 x 715
Dimensions in pack H x W x D (mm)	1090 x 720 x 760	1090 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather	Nero - RAL 9005, Buffle or Leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 5 to 20°C
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Hygrometry and temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- | | |
|-----------------------------|----------------------------|
| Cold production : | • Air fan |
| | • Compressor R600a/R134a |
| Cords : | • CE/UK/JA/AU/CH/CN/US |
| Hot production: | • Heating element |
| Hot release: | • Automatic |
| | • Threshold : adjustable |
| Inner material : | • Aluminium |
| Exterior coating material : | • HDF (High Density Fiber) |
| Insulation type: | • PU foam (59 mm) |

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Humidity cassette
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 1 sliding shelf & 1 storage shelf
- Overall capacity: 92 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	114	146	146	183
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	210
Temperature of the upper compartments	/

V-Pure-S

Ageing 1 temperature wine cabinet

Premium pack



Standard sliding shelf



ACMS

« Premium » sliding shelves



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	73	69
Empty wine cabinet net weight (kg)	60	56
Equipped wine cabinet net weight (kg)	74	70
Dimensions H x W x D (mm)	960 x 680 x 715	960 x 680 x 715
Dimensions in pack H x W x D (mm)	1090 x 720 x 760	1090 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather	Nero - RAL 9005, Buffle or Leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 5 to 20°C
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Hygrometry and temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- | | |
|-----------------------------|----------------------------|
| Cold production : | • Air fan |
| | • Compressor R600a/R134a |
| Cords : | • CE/UK/JA/AU/CH/CN/US |
| Hot production: | • Heating element |
| Hot release: | • Automatic |
| | • Threshold : adjustable |
| Inner material : | • Aluminium |
| Exterior coating material : | • HDF (High Density Fiber) |
| Insulation type: | • PU foam (59 mm) |

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Humidity cassette
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 5 sliding shelves
- Overall capacity: 74 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	114	146	146	183
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	210
Temperature of the upper compartments	/

S-Pure-S

Multi-temperatures wine cabinet

Access pack



Standard shelves



Sliding shelf
ACMS



Storage shelf
AXUH

« Premium » shelves



Sliding shelves
ACMS2B



Sliding shelves
ACMS2W



Storage shelves
AXUH2B



Storage shelves
AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	71	67
Empty wine cabinet net weight (kg)	58	54
Equipped wine cabinet net weight (kg)	62,6	58,6
Dimensions H x W x D (mm)	960 x 680 x 715	960 x 680 x 715
Dimensions in pack H x W x D (mm)	1090 x 720 x 760	1090 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather	Nero - RAL 9005, Buffle or Leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan • Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 1 sliding shelf & 1 storage shelf
- Overall capacity: 92 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	114	146	146	183
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	225
Temperature of the upper compartments	/

S-Pure-S

Multi-temperatures wine cabinet Premium pack



Standard
sliding shelf



ACMS

« Premium »
sliding shelves



ACMS2B

ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	71	67
Empty wine cabinet net weight (kg)	58	54
Equipped wine cabinet net weight	72	68
Dimensions H x W x D (mm)	960 x 680 x 715	960 x 680 x 715
Dimensions in pack H x W x D (mm)	1090 x 720 x 760	1090 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather	Nero - RAL 9005, Buffle or Leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan • Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 5 sliding shelves
- Overall capacity: 74 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	114	146	146	183
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	225
Temperature of the upper compartments	/



BVCert. 6010761

V-Pure-M

Ageing 1 temperature wine cabinet

Access pack

Standard shelves



Sliding shelf
ACMS



Storage shelf
AXUH

« Premium » shelves



Sliding shelves

ACMS2B

ACMS2W



Storage shelves

AXUH2B

AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	96	100
Empty wine cabinet net weight (kg)	81	75
Equipped wine cabinet net weight (kg)	90,2	84,2
Dimensions H x W x D (mm)	1480 x 680 x 715	1480 x 680 x 715
Dimensions in pack H x W x D (mm)	1605 x 720 x 760	1605 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 5 to 20°C
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Hygrometry and temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- | | |
|-----------------------------|----------------------------|
| Cold production : | • Air fan |
| | • Compressor R600a/R134a |
| Cords : | • CE/UK/JA/AU/CH/CN/US |
| Hot production: | • Heating element |
| Hot release: | • Automatic |
| | • Threshold : adjustable |
| Inner material : | • Aluminium |
| Exterior coating material : | • HDF (High Density Fiber) |
| Insulation type: | • PU foam (59 mm) |

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Humidity cassette
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 2 sliding shelves & 2 storage shelves
- Overall capacity: 166 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	121	157	165	219
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	340
Temperature of the upper compartments	/

V-Pure-M

Ageing 1 temperature wine cabinet

Premium pack



Standard
sliding shelf



ACMS

« Premium »
sliding shelves



ACMS2B

ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	96	100
Empty wine cabinet net weight (kg)	81	75
Equipped wine cabinet net weight (kg)	109	102
Dimensions H x W x D (mm)	1480 x 680 x 715	1480 x 680 x 715
Dimensions in pack H x W x D (mm)	1605 x 720 x 760	1605 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 5 to 20°C
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Hygrometry and temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- | | |
|-----------------------------|----------------------------|
| Cold production : | • Air fan |
| Cords : | • Compressor R600a/R134a |
| Hot production: | • CE/UK/JA/AU/CH/CN/US |
| Hot release: | • Heating element |
| Inner material : | • Automatic |
| Exterior coating material : | • Threshold : adjustable |
| Insulation type: | • Aluminium |
| | • HDF (High Density Fiber) |
| | • PU foam (59 mm) |

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On / Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Humidity cassette
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 10 sliding shelves
- Overall capacity: 141 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	121	157	165	219
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	340
Temperature of the upper compartments	/

E-Pure-M

Ageing, cooling and red wine serving cabinet
3 temperatures



BVCert. 6010761

Standard shelves Access pack « Premium » shelves



Sliding shelf
ACMS



Storage shelf
AXUH



Sliding shelves

ACMS2B

ACMS2W



Storage shelves

AXUH2B



AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	103	97
Empty wine cabine net weight (kg)	88	82
Equipped wine cabinet net weight (kg)	97,2	91,2
Dimensions H x W x D (mm)	1480 x 680 x 715	1480 x 680 x 715
Dimensions in pack H x W x D (mm)	1605 x 720 x 760	1605 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather (Ostrich)	Nero - RAL 9005, Buffle or Leather (Ostrich)

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 15 to 22°C (upper compartment) and 9 to 15°C (ageing area)
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- | | |
|-----------------------------|----------------------------|
| Cold production : | • Static |
| | • Compressor R600a/R134a |
| Cords : | • CE/UK/JA/AU/CH/CN/US |
| Hot production: | • Heating element |
| Hot release: | • Automatic |
| | • Threshold : adjustable |
| Inner material : | • Aluminium |
| Exterior coating material : | • HDF (High Density Fiber) |
| Insulation type: | • PU foam (59 mm) |

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On / Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 2 storage shelves + 2 sliding shelves
- Overall capacity: 135 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	121	157	165	219
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	345
Temperature of the upper compartments	15-22°C 59-77°F



BV Cert. 6010761



E-Pure-M

Ageing, cooling and red wine serving cabinet

3 temperatures

Premium pack

Standard
sliding shelves

« Premium »
sliding shelves



ACMS



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	103	97
Empty wine cabinet net weight (kg)	88	82
Equipped wine cabinet net weight (kg)	104,8	98,8
Dimensions H x W x D (mm)	1480 x 680 x 715	1480 x 680 x 715
Dimensions in pack H x W x D (mm)	1605 x 720 x 760	1605 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather (Ostrich)	Nero - RAL 9005, Buffle or Leather (Ostrich)

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 15 to 22°C (upper compartment) and 9 to 15°C (ageing area)
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- | | |
|-----------------------------|----------------------------|
| Cold production : | • Static |
| | • Compressor R600a/R134a |
| Cords : | • CE/UK/JA/AU/CH/CN/US |
| Hot production: | • Heating element |
| Hot release: | • Automatic |
| | • Threshold : adjustable |
| Inner material : | • Aluminium |
| Exterior coating material : | • HDF (High Density Fiber) |
| Insulation type: | • PU foam (59 mm) |

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 6 sliding shelves
- Overall capacity: 137 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	121	157	165	219
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	345
Temperature of the upper compartments	15-22°C 59-77°F

S-Pure-M Multi-temperatures wine cabinet Access pack



Standard shelves



Sliding shelf
ACMS



Storage shelf
AXUH

« Premium » shelves



Sliding shelves
ACMS2B



ACMS2W



Storage shelves
AXUH2B



AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	94	88
Empty wine cabinet net weight (kg)*	79	73
Equipped wine cabinet net weight (kg)	88,2	82,2
Dimensions H x W x D (mm)	1480 x 680 x 715	1480 x 680 x 715
Dimensions in pack H x W x D (mm)	1605 x 720 x 760	1605 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather (Ostrich)	Nero - RAL 9005, Buffle or Leather (Ostrich)

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan • Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 2 sliding shelves & 2 storage shelves
- Overall capacity: 166 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	121	157	165	219
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	355
Temperature of the upper compartments	/

S-Pure-M

Multi-temperatures wine cabinet

Premium pack



Standard
sliding shelf



ACMS

« Premium »
sliding shelves



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	94	88
Empty wine cabinet net weight (kg)	79	73
Equipped wine cabinet net weight	107	101
Dimensions H x W x D (mm)	1480 x 680 x 715	1480 x 680 x 715
Dimensions in pack H x W x D (mm)	1605 x 720 x 760	1605 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather (Ostrich)	Nero - RAL 9005, Buffle or Leather (Ostrich)

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan
	• Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic
	• Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 10 sliding shelves
- Overall capacity: 141 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	121	157	165	219
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	355
Temperature of the upper compartments	/



V-Pure-L

Ageing 1 temperature wine cabinet

Access pack

Standard shelves



Sliding shelf
ACMS



Storage shelf
AXUH

« Premium » shelves



Sliding shelves
ACMS2B



ACMS2W



Storage shelves
AXUH2B



Storage shelves
AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	112	105
Empty wine cabinet net weight (kg)	96	89
Equipped wine cabinet net weight (kg)	109,8	102,8
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 5 to 20°C
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Hygrometry and temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan
	• Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic
	• Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On / Off button
- Full Glass door, Black Piano door, Glass door, Stainless steel Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Humidity cassette
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 3 sliding shelves and 3 storage shelves
- Overall capacity: 215 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	445
Temperature of the upper compartments	/



V-Pure-L

Ageing 1 temperature wine cabinet Premium pack

Standard
sliding shelf



ACMS

« Premium »
sliding shelves



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	112	105
Empty wine cabinet net weight (kg)	96	89
Equipped wine cabinet net weight (kg)	135,2	128,2
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 5 to 20°C
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Hygrometry and temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan
	• Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic
	• Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Stainless steel Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Humidity cassette
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 14 sliding shelves
- Overall capacity: 182 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	445
Temperature of the upper compartments	/

E-Pure-L

Ageing, cooling and red wine serving cabinet
3 temperatures

Access pack

Standard shelves



Sliding shelf
ACMS



Storage shelf
AXUH

« Premium » shelves



Sliding shelves

ACMS2B

ACMS2W



Storage shelves

AXUH2B

AXUH2W

ORIGINE
FRANCE®
GARANTIE

BVCert. 6010761



GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	119	112
Empty wine cabinet net weight (kg)	103	96
Equipped wine cabinet net weight (kg)	116,8	110,8
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 15 to 22°C (upper compartment) and 9 to 15°C (ageing area)
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production:	• Static • Compressor R600a/R134a
Cords:	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material:	• Aluminium
Exterior coating material:	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Stainless steel Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 3 sliding shelves and 3 storage shelves
- Overall capacity: 190 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	450
Temperature of the upper compartments	15-22°C 59-77°F



ORIGINE
FRANCE®
GARANTIE

BVCert. 6010761

E-Pure-L

Ageing, cooling and red wine serving cabinet

3 temperatures

Premium pack

Standard
sliding shelves



ACMS

« Premium »
sliding shelves



ACMS2B

ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	119	112
Empty wine cabinet net weight (kg)	103	96
Equipped wine cabinet net weight (kg)	131	124
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range from 15 to 22°C (upper compartment) and 9 to 15°C (ageing area)
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Static
	• Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic
	• Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Stainless steel Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 10 sliding shelves
- Overall capacity: 165 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
Doors type	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	450
Temperature of the upper compartments	15-22°C 59-77°F



BV Cert. 6010761

S-Pure-L Multi-temperatures wine cabinet Access pack

Standard shelves



Sliding shelf
ACMS



Storage shelf
AXUH

« Premium » shelves



Sliding shelves
ACMS2B



ACMS2W



AXUH2B



AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	110	103
Empty wine cabinet net weight (kg)	94	87
Equipped wine cabinet net weight (kg)	107,8	100,8
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

- Cold production :
- Air fan
 - Compressor R600a/R134a
- Cords :
- CE/UK/JA/AU/CH/CN/US
- Hot production:
- Heating element
- Hot release:
- Automatic
 - Threshold : adjustable
- Inner material :
- Aluminium
- Exterior coating material :
- HDF (High Density Fiber)
- Insulation type:
- PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On / Off button
- Full Glass door, Black Piano door, Glass door, Stainless steel Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 3 sliding shelves and 3 storage shelves
- Overall capacity: 215 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	460
Temperature of the upper compartments	/



ORIGINE
FRANCE®
GARANTIE

BVCert. 6010761

S-Pure-L

Multi-temperatures wine cabinet Premium pack

Standard
sliding shelf



ACMS

« Premium »
sliding shelves



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	110	103
Empty wine cabinet net weight (kg)	94	87
Equipped wine cabinet net weight (kg)	133,2	126,2
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Ostrich leather	Nero - RAL 9005, Buffle or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan
	• Compressor R600a/R134a
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic
	• Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door, Glass door, Stainless steel Glass door, Silver Glass door
- Inner lighting (3 options: permanent, open door, disabled)
- Optional light band, to order
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector rearward

ACCESSORIES

- 14 sliding shelves
- Overall capacity: 182 bottles**
- Sliding shelf capacity: up to 12 bottles
- « Premium » sliding shelves equipped with a brake
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient champagne bottles positioning)
- 6 removable bottles identifiers per « Premium » shelf
- 1 erasable felt-tip marker per batch of « Premium » shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type				
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	460
Temperature of the upper compartments	/