

5 YEAR WARRANTY



S-REVEL-S

Serving wine cabinet
Access pack

Sliding shelves



ACMS2B



ACMS2W

Storage shelves



AXUH2B



AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	71	67
Empty wine cabinet net weight (kg)	58	54
Equipped wine cabinet net weight (kg)	62,2	58,2
Dimensions H x W x D (mm)	960 x 680 x 715	960 x 680 x 715
Dimensions in pack H x W x D (mm)	1090 x 720 x 760	1090 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather	Nero - RAL 9005, Buffle or Leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan
	• Compressor (R600a/R134a gas)
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic
	• Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass or Black Piano door
- Inner lighting : light band and 2 leds (3 options: permanent, open door, disabled)
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock
- Humidity collector at the rear

ACCESSORIES

- 1 sliding shelf & 1 storage shelf with light wood or glossy black front
- Overall capacity: 92 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- Soft-close device on sliding shelf
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient Champagne bottles positioning)
- 6 removable bottles identifiers per shelf
- Erasable felt-tip marker per batch of shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
Doors type	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	114	146	146	183
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	225
Temperature of the upper compartments	/

5 YEAR WARRANTY



ORIGINE FRANCE GARANTIE
BVCert. 6010761

S-REVEL-S

Serving wine cabinet

Premium pack

Sliding shelves



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	71	67
Empty wine cabinet net weight (kg)	58	54
Equipped wine cabinet net weight (kg)	70,5	66,5
Dimensions H x W x D (mm)	960 x 680 x 715	960 x 680 x 715
Dimensions in pack H x W x D (mm)	1090 x 720 x 760	1090 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle or Leather	Nero - RAL 9005, Buffle or Leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan • Compressor (R600a/R134a gas)
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass or Black Piano door
- Inner lighting : light band and 2 leds (3 options: permanent, open door, disabled)
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock
- Humidity collector at the rear

ACCESSORIES

- 5 sliding shelves with light wood or glossy black front
- Overall capacity: 74 bottles**
- Sliding shelf capacity: up to 12 bottles
- Soft-close device on sliding shelf
- Brake on sliding shelves
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient Champagne bottles positioning)
- 6 removable bottles identifiers per shelf
- Erasable felt-tip marker per batch of shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Doors type	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	114	146	146	183
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	225
Temperature of the upper compartments	/

5 YEAR WARRANTY



S-REVEL-L

Serving wine cabinet
Access pack

ORIGINE FRANCE GARANTIE
BVCert. 6010761

Sliding shelves



ACMS2B



ACMS2W

Storage shelves



AXUH2B



AXUH2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	110	103
Empty wine cabinet weight (kg)	94	87
Equipped wine cabinet net weight (kg)	131,8	124,8
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle, Inox or Ostrich leather	Nero - RAL 9005, Buffle, Inox or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualization
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan • Compressor (R600a/R134a gas)
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass or Black Piano door or Stainless Glass door
- Inner lighting : light band and 2 leds (3 options: permanent, open door, disabled)
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector at the rear

ACCESSORIES

- 3 sliding shelves and 3 storage shelves with light wood or glossy black front
- Overall capacity: 215 bottles**
- Sliding shelf capacity: up to 12 bottles
- Storage shelf capacity: up to 77 bottles
- Soft-close device on sliding shelf
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient Champagne bottles positioning)
- 6 removable bottles identifiers per shelf
- Erasable felt-tip marker per batch of shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	460
Temperature of the upper compartments	/

5 YEAR WARRANTY

ORIGINE FRANCE® GARANTIE

BVCert. 6010761



S-REVEL-L

Serving wine cabinet
Premium pack

Sliding shelves



ACMS2B



ACMS2W

GENERAL FEATURES

	Full Glass door	Black Piano
Gross weight packaged (kg)*	110	103
Empty wine cabinet net weight (kg)	94	87
Equipped wine cabinet net weight (kg)	129	122
Dimensions H x W x D (mm)	1825 x 680 x 715	1825 x 680 x 715
Dimensions in pack H x W x D (mm)	1950 x 720 x 760	1950 x 720 x 760
Colors / finishes	Nero - RAL 9005, Buffle, Inox or Ostrich leather	Nero - RAL 9005, Buffle, Inox or Ostrich leather

TECHNICAL FEATURES

REGULATION

- Electronic regulation
- Temperature setting range between 5-12°C for the lowest temperature and between 15-22°C for the highest temperature
- LED screen with touch buttons
- Electronic inner display and settings – digital screen
- Temperature visualisation
- Visual alarms in case of disfunctioning (open door, sensor fault, temperature alarm, charcoal filter)
- Automatic defrost

HOT – COLD – INSULATION TECHNOLOGIES

Cold production :	• Air fan • Compressor (R600a/R134a gas)
Cords :	• CE/UK/JA/AU/CH/CN/US
Hot production:	• Heating element
Hot release:	• Automatic • Threshold : adjustable
Inner material :	• Aluminium
Exterior coating material :	• HDF (High Density Fiber)
Insulation type:	• PU foam (59 mm)

EQUIPMENTS & ACCESSORIES

EQUIPMENT

- On/ Off button
- Full Glass door, Black Piano door or Stainless Glass door
- Inner lighting : light band and 2 leds (3 options: permanent, open door, disabled)
- Charcoal filter (with meter)
- Front adjustable feet
- Removable handle with glass finishing and centered lock (Full Glass and Black Piano doors only)
- Humidity collector at the rear

ACCESSORIES

- 14 sliding shelves with light wood or glossy black front
- Overall capacity: 182 bottles**
- Sliding shelf capacity: up to 12 bottles
- Soft-close device on sliding shelf
- NB: rise of the space between shelf support strips by 5,4 mm (labels preservation and convenient Champagne bottles positioning)
- 6 removable bottles identifiers per shelf
- Erasable felt-tip marker per batch of shelves
- 1 EuroCave key ring

ENERGY EFFICIENCY AND CONSUMPTION

Wiring	230V-50Hz (R600a gas)		115V-60Hz (R134a gas)	
	Black Piano	Full Glass	Black Piano	Full Glass
Energy efficiency rating	A+	A	/	/
Annual energy consumption Aec (kWh/year)***	128	165	183	256
Acoustic emissions (dB(A))	37	37	38	38

Useful volume (L)	460
Temperature of the upper compartments	/